

TITLE

System and Method for Collecting, Disseminating and Managing Information Using A Voice and Data Base System

Cross Reference to Related Application

This application claims priority from U.S. Provisional Application Serial No. 60/275994, filed March 15, 2001.

Background of the Invention

1. Field of Invention

The present invention relates generally to the field of data processing using a communication and data based system, and more specifically to a method of collecting, disseminating and managing information from one or more end users or systems through a voice/data base network.

2. Description of the Prior Art

Currently, there are data processing systems in areas of collaboration, communication and transaction. However, these systems do not focus on methods that work seamlessly through voice and data interfaces, and they do not use such systems to rapidly customize and deploy information in a highly scalable and reliable fashion, particularly in the areas of health management, disease surveillance, case management, commercial distribution, call centers and others.

US Patent 6,168,563 (the '563 patent) describes a system and method that enables a health care provider to monitor and manage the health condition of a patient. This patent describes a remotely programmable apparatus and set of programmable scripts that can be used to capture patient information. This information is sent to a health care provider over a communication

network. The system disclosed in the '563 patent does not combine the use of voice and data in the interaction with the patient. It also does not teach the use of pre-existing, non-programmable communication devices such as telephones, as part of the system. Further, the system of the '563 patent does not describe collaborative mechanisms for interaction between patients, health workers, pharmaceutical suppliers and others who may be involved in the process of patient treatment, thereby neglecting a vital aspect of the health care process. Further, the system of the '563 patent does not teach surveying methods for surveying that allow one-to-many, many-to-one, and many-to-many communication and collaboration mechanisms.

US Patent 5,441,047 describes health-monitoring methods using visual communication methods. Such methods involve the use of captured audio-visual data through specific systems, which collect patient symptoms and anatomical details. They do not describe any collaboration, transaction, surveying or other communication methods.

US Patent 5,434,611 describes a system for communication between doctors and patients using a two-way television network. This patent describes a one-to-one communication system, and does not provide for more elaborate methods of communication and collaboration.

US Patent 5,390,238, describes a system and method for monitoring patients. This patent teaches methods for managing patients through networks, including telephone networks. However, it does not describe collaboration and communication systems through multiple health care workers, intermediaries or suppliers, nor does it teach methods for surveillance, data aggregation, one-to-many and many-to-many interactions.

US Patent 6,098,053, describes a system and method for electronic financial transaction management over public networks. While this system allows users to manage financial

transactions, it uses mechanisms only accessible over data networks. Also, it does not describe user-system interaction involving collaboration and communication on a one-to-many or many-to-many basis, and does not teach methods for management of processes and work flows in complex financial transactions that require specific forms of intermediation, management and control.

The present invention overcomes the drawbacks of the prior art by combining voice and data based systems to provide an elaborate and efficient information processing system which allows one-to-one, one-to-many, many-to-one and many-to-many communications and collaborations.

Summary of Invention

The present invention is directed to a system, components of the system, a method, and components of the method for collecting, disseminating and managing information from one or more users or other systems through a voice/data base network. Specifically, the present invention comprises a system. The system further comprises a management service interface that enables the end user to access the various components of the system. Such components include information sources (e.g., databases) or tools. Specifically, the tools may include software or hardware capable of performing a desired function. A management element controls the manner by which each individual tool interacts with each other. A user may access the system of the present invention through a user device which is communicatively linked to a device adapter. The device adapter is communicatively linked to the management service interface.

The components of the present invention can be adapted to collect, disseminate and/or manage information relating to public health, call centers, supply chains, work flow or any

social network organization having a need to collaborate, communicate or transact. Tables 1 and 2 below provide a list of non-limiting applications of the present invention in various areas.

TABLE 1

Features of the Present Invention	Finance & Banking	E-government	Commercial Sales & Distribution
Voice Messaging	In addition to basic messaging, finance and banking officials can send and receive financial updates. Customers and the public can obtain or receive reminders, financial data, etc.	In addition to basic messaging, federal, state and local government officials can send or receive broadcast messages, alerts, etc.	In addition to using basic messaging, distributors, salespersons and outlets can send or receive new product information, product alerts, etc.
Data Collection & Surveying	The financial and banking sector may conduct surveys and collect basic data online or over the phone.	Citizens can file complaints, report violations, etc.	Commercial companies can monitor sales, stock levels, delivery status, survey customer requirements, etc.
Transactions	Authorized users may make payments, transfer funds, submit loan applications, etc.	Citizens and public officials can file applications, tax forms, request services or conduct other transactions on-line or via the telephone.	Salespersons, outlets and other customers can order products, supplies or services, etc.
Data Retrieval	Authorized users may obtain information on status of accounts, payments, etc.	Authorized users can obtain information on the status of applications, etc.	Users can access delivery status and updates, schedules, etc over the phone or online.
Information Services	Professionals and the public can access libraries (databases) of basic financial information, answers to FAQ, etc.	Citizens and public officials can get weather reports, basic information, common forms, answers to FAQ, etc.	Professionals and public officials can access libraries (databases) of basic information.
Real-time Communication	Users can connect to financial hotlines and live operators.	Citizens and officials can access live operators & hotline support.	Users can access live operators or hotline support centers.

TABLE 2

Features of the Present Invention	Public Health	Clinical Management	Drug & Vaccine Supply & Logistics
Voice Messaging	Public health professionals can send and receive individual and broadcast messages concerning disease outbreaks, health alerts, etc.	Physicians and other health professionals can send & receive messages, send reminders and other information to each other and to patients.	In addition to using basic messaging, pharmacists, physicians, etc can send and receive new product information, alerts, etc.
Data Collection & Surveying	Health professionals can report cases, conduct surveys or collect other health related data.	Patients can report their health status, etc. Health professionals can report adverse events, conduct surveys, etc.	Managers and outlets can monitor delivery and stock levels, etc.
Transactions		Physicians can order tests, refer patients, etc. online or on the phone. Patients can make appointments, fill prescriptions, etc.	Pharmacists can order vaccines, drugs and other medical supplies

Features of the Present Invention	Public Health	Clinical Management	Drug & Vaccine Supply & Logistics
Data Retrieval	Professionals can obtain lab results, case & other data.		Medical professionals can obtain delivery updates and schedules, account-related data, etc.
Information Services	Professionals and public officials can access libraries (databases) of information, training support and other information.	Patients and health professionals can access health information.	Pharmacists, patients and others can obtain drug and vaccine-related information.
Real-time Communication	Health professionals can connect to hotlines or live operators.	Patients or professionals can access live operators or hotline support.	Pharmacists and others can connect to hotlines and operator support centers.

Specific embodiments are not included for each of the applications identified in Tables 1 and 2. However, it is understood that one of ordinary skill in the art can modify the present invention accordingly, based on the descriptions herein, to carry out and practice any of the applications listed in Tables 1 and 2.

The system of the present invention also provides one or more information sources (i.e., data bases), authentication rules or data pertaining to a sender and a recipient. The present system also provides the ability to generate, store or disseminate mapping information to one or more end user devices. The present system also includes one or more systems with programmatic capabilities uniquely defining the end user devices by identification number, location, connectivity status to a communication network, or by other means of identification.

In addition, the system of the present invention may provide one or more systems that enable connectivity between one or more end user devices through a communication network. The system of the present invention may also provide one or more systems that enable connectivity between one or more end users through one or more intermediaries, processes or systems which serve as moderators, authenticators or auditors for the exchange of information between a first sender and a first recipient.

These and other applications and advantages of the present invention will become more apparent after consideration of the ensuing description and accompanying drawings.

Brief Description of the Drawings

For a further understanding of the nature and objects of the present invention, reference should be had to the following detailed description, taken in conjunction with the accompanying drawings, wherein:

FIG. 1 shows an exemplary block diagram of an embodiment of a voice and data based system contemplated by the present invention applies;

FIG. 2 shows an exemplary flow diagram of an embodiment of a voice and data based system contemplated by the present invention;

FIG. 3 shows an exemplary telephonic exchange for performing an authorization inquiry in a health management environment;

FIG. 4 shows an exemplary user computer interface for performing an authorization inquiry in a health management environment;

FIG. 5 shows an exemplary telephonic exchange for the present invention in a health management environment;

FIG. 6 shows an exemplary flow diagram of another embodiment of the voice and data based system contemplated by the present invention; and

FIG. 7 shows a flow diagram of another embodiment of the voice and data based system contemplated by the present invention.

FIG. 8 shows a flow diagram of another embodiment of a voice and data based system contemplated by the present invention;

FIG. 9 shows an exemplary presentation of a map based interface utilized in the system of the present invention; and

FIG. 10 shows an exemplary presentation of a map based interface and medical reporting scheme utilized in the system of the present invention.

Additional features and advantages of the invention, as well as the structure and operation of various embodiments of the invention, are described in detail below with reference to FIGs. 1 to 7. In FIGs. 2-7, reference numbers that correspond to an element in FIG 1 are indicated by like numbers with adjacent letter (e.g., 130a, 130b, 130c etc.). Such like numbers indicate that the elements in the figures are functionally similar to each other.

Detailed Description of the Present Invention

The individual components of the present invention are commercially available computer, software, hardware and/or communication devices, each capable of performing the functions described herein.

FIG. 1 shows an exemplary block diagram of a voice and a data based system contemplated by the present system. Management Service Interface (MSI) **140** is a real-time messaging and communication interface coupled and/or linked to the other components of the present system. MSI **140** manages the flow of information between or among these components, which include but are not limited to, “Devices,” “Device Adapters,” “Tools” and “Management Elements.” MSI **140** can be scaled efficiently to handle message flow without creating a bottleneck. For example, MSI (**140**) can function as a messaging interface. As such, MSI (**140**) can have the capability to schedule and prioritize messages and deliver them in real time. Suitable interfaces for use with MSI (**140**) include various products known in the art such as those produced by IBM (MQ) and Microsoft (MSMQ).

As used herein, user Device **(130)** includes any communication device that enables the user of the device to access the system of the present invention. Such device may include, but is not limited to, telephones, palm pilots, personal computers, pagers, fax machines, e-mail, web browser, to name a few. In the present invention, one or more user Devices can be communicatively coupled to each other and/or linked to MSI **(140)** through Device Adapter **(150)**.

Device Adapter **(150)** is responsible for interfacing any user Device **(130)** or Tool **(161-175)** with MSI **(140)**. The Device Adapter **(150)** may include software or hardware, or both. Suitable Device Adapters may include, but are not limited to, Interface Cards (Dialogic) capable of performing the desired functions herein.

As used herein, a "Tool" includes hardware or software capable of performing a desired function. Such Tools include, but are not limited to; Document Management Tool **(161)**; Scheduling Tool **(162)**; Profiling Tool **(163)**; Telemetry Tool **(164)**; Contacts Tool **(165)**; Collaboration Tool **(166)**; Notification Tool **(167)**; Communication Tool **(168)**; Reporting Tool **(169)**; Security Tool **(170)**; Monitoring Tool **(171)**; Forecasting Tool **(172)**; Billing and Transaction Tool **(173)**; Survey Tool **(174)**; and Advertising Tool **(175)**. Each of these Tools are commercially available and discussed in detail below.

In the present invention, the Tools are linked to Management Element **(160)**. As used herein, Management Element **(160)** includes software that controls the manner by which the Tools of the present invention interact with each other. For example, Management Element (ME) **160** contains the logic associated with managing the processes required for interaction between or among the various Tools.

trigger a need for a specific event to occur (e.g., a health worker needs to be reminded to monitor a drug treatment for a patient). Scheduling Tool **162** manages the scheduling of such event. Scheduling Tool **162** may also provide a sophisticated calendaring system that is used to manage scheduled events, such as instructing a patient when to take his medication.

Profiling Tool **163** manages the information collected from end users or devices.

For example, profile information collected from an end user, such as name, geographical location or medical condition, may be managed by Profiling Tool **163**. Such information may include device specific information pertaining to the end user (e.g., type of device, time of use, registration, location characteristics etc.). This type of information can be extracted, managed and/or stored by Profiling Tool **163**.

Telemetry Tool **164** manages data collected from various end user devices. This might include status messages from communication devices, location information from cellular phones, geographical information such as maps and coordinates to identify specific locations, etc. Contacts Tool **165** maintains information pertaining to contact information for various users, and may also be used for managing public or private contact lists, address books, telephone numbers, e-mail address, business telephone numbers, etc.

Collaboration Tool **166** creates and manages groups of users, which brings together a number of collaborative elements within the system of the present invention. For example, these collaborative elements may include group creation and management exchange of structured and unstructured voice and data content, as well as workflow management within groups of users, devices or systems.

Notification Tool **167** is responsible for generating notification messages for delivery to other components of the system. This tool is event drive. For example, Notification Tool **167** can be programmed to provide a predetermined notification function when the system receives a specific type or category of information. Upon receipt of such information, Notification Tool **167** will interact with other tools causing an end user to be notified of the incoming information through Device Adapter **150** and User Device **130**.

Communication Tool **168** prepares information for delivery between the various components of the present system. E-mail messages, faxes, voice messages or real-time communications between various components of the system are managed by this tool. For example, if an end user desires to send information within the present system via facsimile, Communication Tool **168** converts the information into a form suitable for facsimile transmission. If an end user desires to convert an e-mail message into voice mail, Communication Tool **168** converts the contents of the e-mail message into a form suitable for delivery into voice mail.

Reporting Tool **169** generates and manages reports or compilations of data based on information from other system components. In operations, the Reporting Tool **169** collects, manipulates and organizes the information in a desired format. The information is then transmitted to a Device, another Tool or end user in the specified format.

Security Tool **170** provides security interfaces for interactions between other system components and end users. Security Tool **170** may have the capability to encrypt information. It may also have the capability to authenticate information flowing through the system of the present invention. Security Tool **170** may control access of information between or among end users, end user devices, tools and any management element.

Monitoring Tool 171 provides mechanisms for monitoring various aspects of system performance and maintenance of the present system. For example, monitoring tool 171 will alert system operators if another tool or any component of the present system is disabled or requires special repair.

Forecasting Tool 172 determines future action to be taken based on information gathered in the present system. For example, if the information acquired in the system indicates that occurrences of yellow fever in a particular area have increased ten fold, then Forecasting Tool 172 will determine that status reports for a particular area must be received by the responsible physicians every two hours for the next 4 to 6 weeks, depending on the information contained in the status reports.

Billing and Transaction Tool 173 provides mechanisms for billing end users and/or for creating and providing billing records for purposes of further manipulation by other billing systems that interface with the system of the present invention. The information managed by Billing and Transaction Tool 173 may include real time usage information transactional information and/or user information, such as number of users on the system, length of system usage, volume of data handled in a specific transaction, etc. Billing and Transaction Tool 173 also provides mechanisms for end users, devices and systems to engage in business transactions within the system, or with other systems that interface with the present invention.

Survey Tool 174 provides mechanisms for creating, delivering, and managing surveys to and from end users, devices or tools. For example, a doctor can compose a medical survey to send out to his health workers in the field. This survey could be a voice message,

sufficiently annotated to present an interactive interface to each health worker, thereby creating a mechanism for the health workers to respond via data entry as well as via voice recordings.

Advertising Tool **175** creates and manages advertisements within the system or provided through other systems that interface with the present invention. These advertisements are typically delivered to Device **130**, UPI **110** or ME **160**. This is a powerful feature, especially since the other tools in ME **160** can be used to creatively target specific customers. For example, in a consumer distribution environment, targeted advertisements may be sent to consumers based on their profiles, which may include information about their usage or ownership of specific devices, purchase history, etc.

The present invention also comprises a user presentation interface (UPI) **110** and a Management Presentation Interface (MPI) **180**. User Presentation Interface (UPI) **110** and Management Presentation Interface (MPI) **180** include, but are not limited to, presentation interfaces such as a web browser, micro browser, or a display on a cell phone, lap top, pager, computer monitor and the like. UPI **110** represents the interface used by an end user of the present system. MPI **180** represents an administration interface, which may include software capable of managing the configuration of the system. MPI **180** is typically used by an administrator of the system of the invention, for example, to manage end user accounts, user settings and profiles, privileges and permissions. The presentation of information from MSI **140** to UPI **110** or MPI **180** is managed via a "Presentation Customization Interface" (PCI) **120**. Presentation Customization Interface (PCI) **120** represents any software or other means by which information is processed so that it can be displayed on UPI **110** and MPI **180**. PCI **120** is typically a software or a representation language, examples of which are known in the art as markup languages (HTML, XML, WML, etc.) or other middleware that specifies a set of rules and methods for presenting the

information through MSI 140 to a device (for example a device such as a computer browser or a pager or a cellular phone) with a specific presentation interface 110 or 180 (for example a presentation interface such as a web browser or a display on a pager or a display on a cellular phone).

The system of the present invention also provides elaborate mechanisms to enable information to be communicated with or transferred from an end user to the components of the present invention. For example, if Device 130 is equipped with a mechanism to communicate directly via a secure channel on a data network, Device 130 may transmit relevant data pertaining to its operation to MSI 140 via Device Adapter 150. MSI 140 then aggregates the information, allowing subsequent extraction of selected portions of the data from Tools 161-175 via ME 160. If Device 130 is equipped with communication capability (e.g., phone, computer, hand-held communication device, etc.), information including notification messages, electronic mail, data communication etc. can be sent from Device 130 to MSI 140 via Device Adapter 150. This information can then be used for subsequent communication with and/or transfer to one or more Tool, Device and/or network.

Information aggregated through MSI 140 is managed via ML 160, which may perform various functions. For example, ME 160 may manipulate information based on a pre-defined set of rules and/or learning algorithms to route, archive or retrieve information contained in IS (160) or third party information sources. ME (160) may also interact with various third party information sources to route or collect information in order to perform transactions, or to inform the end user or other devices or systems.

TO 600 255250

The system of the present invention also includes Information Source (IS) **190** which include a means for storing information, including data. IS **190** includes any available hardware, software, computer, main frame or any other electronic device having memory capabilities. The information stored in IS **190** may be derived from various sources. For example, the information may be accumulated through the operation of the present invention by one or more users or systems. In this instance, the information is stored in IS **190** as the information accumulates or is generated by the system. Information may also be provided by a third party or incorporated directly into the present system as an independent component or part of an existing component, including but not limited to, IS **190**.

The information stored is referred to as a database. In one alternative embodiment of the present invention, the databases store information pertinent to or derived from data loaded in the present system and/or processed or accumulated by any of Tools **161-175**.

It should be understood, however, that the invention is not limited to the particular database embodiment. Instead, the invention is adapted and intended to cover other database structures and organizations that are capable of storing information and information pertinent to the analysis of the information. The particular information that is stored in the databases is implementation dependent and varies based on a number of factors, including the type of analysis that is desired and the type and content of the information that is maintained in the present system.

Many of databases generated by the present system, such as medical databases, financial databases, person databases and customer databases, maybe loaded using information provided by the user of the system or a third party provider. After loading, these databases are updated as necessary. It should be understood that the present invention works equally well with

data provided by any party as long as the data's format matches the format of the databases in the system. The information stored in the databases may be text, images, graphics, audio, video, multimedia or any other information that can be stored in electronic form.

The medical databases may include, but are not limited to, the following types of information:

- Patient profile such as name, age, sex, date of birth or death, disease history, vaccination history
- Reports from health workers on specific incidents, such as laboratory results, case symptoms, or disease outbreaks. This information could be stored as data, or as voice recordings or image clips associated or tagged appropriately such as to be identified with the specific incident in question; and
- Geographical information such as location of patient, location of disease outbreak, or location of closest facility to handle a case or for a specific communication.

The customer databases may include, but are not limited to, the following types of information:

- Customer profile, including name, address, financial and credit profile, etc.;
- Purchase history, such as items bought, dates of purchase or return or exchange; and
- Frequency of purchase or re-purchase of supplies or goods.

Multiple IS 190's provide value added information to end users, systems or devices through device adapter 150 to MSI 140. This information may be subsequently processed via ME 160.

Having described various elements of the system of the present invention, along with specific applications thereof, other non-limiting applications of the present invention are described below. Although specific embodiments of the present invention have been described and illustrated herein, it is to be understood that a person skilled in the art can make modifications within the scope of the invention and apply it to other environments and/or uses including, but not limited to, microfinancing or any other financial transaction, such as banking and microlending. It may also be applied to commercial distribution networks, agricultural work flows or any other social network organization having a need to collaborate, communicate and transact. Other specific embodiments of the system described herein include, but are not limited to the following.

Health Management Application

As stated previously, the present invention can be adapted to manage health information, such as reporting information concerning disease outbreaks, as well as monitoring the spread of diseases. **FIG. 2** shows an exemplary flow diagram of an embodiment of the present invention applied in a health care environment. Specifically, unit **130a** is a telephone, shared payphone or phone kiosk. Unit **131a** is a computer, for example, a personal computer. The user (who may be a doctor in rural Peru) may use either or both of these devices to communicate to unit **150a**, which is a telephone switch interface. The user may access unit **130a** and use it to check voice mail and to submit his or her weekly disease report. **FIGs. 2-5** illustrate the interaction between such a user and the system of the present invention. Here, the user first calls the system via unit **130a**, which is connected to a telephone network system, through telephone switch interface unit **150a**. Before the user can access the information in the system, he or she must be validated. Figures 3 and 4 show an illustrative telephonic interactive and computer interface, respectively, for performing a validation inquiry.

In **FIG. 3**, unit **168a**, the Communication Interface Tool, presents the user with an interactive voice response menu, asking him or her to enter a pre-assigned account number (1) and authorization password (2). When the information is entered, Unit **170a** validates the entry. Upon successful validation, an interactive voice response informs the user of the number of messages in voice mail (3), and then asks whether the user wants to retrieve the messages (4) or submit a weekly disease report (5).

In **FIG. 4**, user interface (6) includes a view of a constructive index card (7) to elicit specific information about the user. Here, the user must identify himself, herself or itself by a name (8), account number (9), and password (10). In **FIG. 4**, after the requested information is provided, Unit **170a** determines whether or not authorization may be given to the user. Upon successful validation, in both **FIGS 3-4**, a more sophisticated interface on the authorization process may be changed to require more or less information based on the information sought.

After the validation process is completed, unit **168a** informs the user whether he or she has any new messages. For example, in **FIG. 2**, Unit **168a** informs the user that he or she has 4 new messages (**Fig. 5**). When the user retrieves these messages, each message is retrieved from an information source **190a**, through **MSI 140a**, to Communication Tool **168a**. Each message is processed by **168a** and delivered to telephone **130a** via **MSI 140a** and **150a**.

FIG. 5 shows an exemplary telephonic dialogue between the user and the present invention illustrated in **FIG 2**. Here, the 4 messages are retrieved from **IS 190a** and played back to the user. Message 1 (11) is a health advisory from the Ministry of Health warning of a new outbreak of measles in the region. Message 2 (12) is from the Tuberculosis lab reporting the test results of a patient. Message 3 (13) is a personal message from the user's son. Message 4 (15) is a

voice mail survey from the Chief Epidemiologist. Here, the user is asked whether he or she has seen any recent cases of cholera (16). The user is then asked to reply to this inquiry by pressing the number 2 on the touch tone telephone (17). In this example, the user had seen six cases of cholera in the region. The user responds to the inquiry by pressing the number 6 on the touch tone telephone pad. (18).

Message 4 in the **FIG. 5** was created by the sender of the message through Survey Tool **174a**. This message may be created using various interfaces. For example, telephone interface **130a** can (record the sender's voice message and include specific annotations created by spoken voice commands and keypad entries. Another interface may include web-based interface on computer unit **131a**, which allows the sender to compose the survey visually and record the voice components of the survey through a microphone interface attached to the computer.

After the user listens to all 4 messages, he or she is further prompted by Communication Tool **168a** to answer a specific set of questions, through an interactive voice message interface, created by the information content from IS **190a**, which contains specific annotations in the message, thereby causing Communication Tool **168a** to create the specific set of questions. When he responds to these questions, his or her responses may be recorded as data entries, and subsequently manipulated by Reporting Tool **169a**, and delivered to another IS **191**.

After the user retrieves the voice mail messages, he or she is further prompted by Communication Tool **168(a)** to submit a weekly disease report. This is performed through a specific set of questions, via an interactive voice message interface, created by the information center from IS **190(a)**, which contains specific annotations in the message, thereby causing Communication Tool **168a** to create the appropriate set of questions. Continuing with the example

illustrated in FIG. 5, the user is asked to report the number of new cases seen in a particular area, such as HIV, malaria, small pox and chicken pox. Here, with respect to each of these medical conditions the user is asked to press the number key or combinations of number keys on the touch tone pad which corresponds to the number of new cases seen within the past 7 days (19). For new cases of HIV, the user responds by pressing the number 2. For malaria, small pox and chicken pox the user responds by pressing the numbers 4, 0 and 4, respectively (20-30).

After pressing the messages and submitting the weekly disease report, the user hangs up the telephone, thus completing the progress: For example, the user's responses may be recorded as data entries, and subsequently manipulated by Reporting Tool 169a, and delivered to IS 191a. The information submitted may be instantly transmitted to the ministry of health database 192, and is accessible to several epidemiologists who can study the report, take decisive action to prevent further disease outbreaks, or follow-up with the user through a more elaborate set of voice messages or surveys using the components of the present invention.

Call Center Application

The present invention can also be adapted to function as a call center. Call centers typically employ a number of agents, connected through expensive call routing and switching equipment. When a call reaches a call center, the phone and voice response interface must often trigger activation of a screen display on a computer or web browser. Relevant details from databases pertaining to the caller (e.g., caller name, address, specific account information etc.) appear on the screen display so that the agent can address the caller's issues.

However, the operation of call centers are problematic. For instance, the interaction between the voice and data interfaces are complex and expensive. Also, they do not allow call

center operators to be geographically dispersed and their centralized architectures do not allow for easy integration with third party databases and systems, thereby creating more inefficiencies, bottlenecks and security risks.

It is often preferable to have a distributed system, without the need for expensive switching, routing equipment and the constraints of inflexible interfaces. The present invention may be adapted to create distributed call center applications with easy integration of voice and data interfaces and simple access to third party databases and systems.

FIG. 6 shows an exemplary flow diagram of an embodiment of the present invention applied in a call center environment. In this example, unit **130b** is a telephone used by a call center agent. Unit **131b** is a computer or web browser interface also used by a call center agent. Each agent is registered into the system via Profiling Tool **163b** for data collection and profiling and Telemetry Tool **164b** for ongoing updates pertaining to connectivity status. Here, the computer used by one of the agents would contain identifying software that the agent would activate. The software would prompt the user to enter a username and password and deliver that information to Security Tool **170b** for verification. Further, this identifying software, which is comprised of a listener and a transmitter, would continually update Telemetry Tool **164b** of the status of the computer, and listen for any commands or signals from the other components in the system.

Further, there would be an association in Profiling Tool **163b** and Telemetry Tool **164b**, which identifies the telephone number of unit **130b**, and indicating that it is the preferred voice interface for the agent using computer unit **131b**. When a caller calls into the system from their phone, via communication interface **150b**, and through Communication Tool **168b**, the caller is prompted by the system using Communication Tool **168b** and an interactive voice response

interface, to enter relevant information that identifies the caller and the nature of the call. The system then uses a pre-defined set of rules in Collaboration Tool **166b** and further uses Scheduling Tool **162b** to determine where the call should be routed. Once this call is routed to unit **130b**, and the call center agent answers the call, the Collaboration Tool **166b** causes relevant caller information to be extracted by an information source **190b**, and sends a message to the listener software on unit **131b**, to activate a browser or other display means, and presents the extracted data to **131b**. The call center agent can thus visually manage the caller's relevant records on their computer. Finally, when the session has ended, and the caller has hung up the phone, Telemetry Tool **164b** senses the end of the call, and causes **166b** Collaboration Tool to trigger the ending of the visual display session on unit **131b**. Hence, an entire call center operation can be managed, in a completely distributed environment, utilizing the switching infrastructure of the telephone network, and efficiently utilizing the methods of the present invention.

Geographical Information System Application

The present invention is also applicable in a number of environments involving the use of geographical information systems, including but not limited to location of end users, suppliers, distributors and goods in a supply chain system, or location of patients, hospitals, doctors, pharmacies or medical supplies in a medical logistics application.

For example, Fig. 8 shows an exemplary diagram of an embodiment of the present invention applied in a medical logistics application. Here, an epidemiologist wishes to send out a medical survey to all his health workers in the field to inquire about cases of Yellow Fever. The process begins with the creation of a medical survey. The epidemiologist uses Presentation Interface **180** to create a survey by way of Presentation Interface **120**, Device Adapter **150**, MSI

140, and finally the Survey Tool 174. The survey is a set of medical related questions formulated by the epidemiologist, that is then delivered to the health workers through the use of Communication Tool 168. The determination of the health workers to receive the survey, and by which device, is made by use of Contacts Tool 165. The survey is then delivered to each health worker through MSI 140, Device Adapter 150, and then through User Presentation Interface 110. The health worker may respond to the survey, and the results of the survey can be manipulated by Survey Tool 174 and stored in Information Source 190. Now, Telemetry Tool 164 may access a set of maps also stored in Information Source 190 and extract the location information for each of the health workers through Profiling Tool 163. Telemetry Tool 164 can then create a map of the location of all health workers who reported positive cases of Yellow Fever. This information is then presented to the epidemiologist who originated the survey through Management Presentation Interface 180. The epidemiologist is now able to see a geographical view of all the Yellow Fever cases. (See Figure 9). Figure 9 shows an exemplary presentation of a map based interface through MPI 180 where an "X" (200) on the map (400) represents the locations of health workers reporting positive cases of Yellow Fever. The epidemiologist can click on through Management Presentation Interface 180 a particular "X" (200) displayed on the map region (400) which in turn can display details on MPI 180 of the specific cases (500), as reported by the health worker. (See Figure 10). Further, the epidemiologist can initiate communication with the specific health worker who reported a specific case of yellow fever through the use of Communication Tool 168 (using voice messaging for example). Thus, through the use of this Geographical Information System, the epidemiologist is able to effectively manage information through visual and data methods.

Supply Chain and Workflow Management Application

The present invention is also applicable in a number of environments involving supply chain and workflow management, including, but not limited to for instance, in the process of purchasing of a product, and its management through its life cycle. This application of the present invention is equally suitable if the product was substituted with an end user, or other system or process, and represents a very useful feature of the invention, as it combines typical workflow solutions with real time communication and collaboration mechanisms.

FIG. 7 shows an exemplary flow diagram of an embodiment of the present invention applied in a supply chain and work flow management environment. In this example, a product life cycle begins with the end user purchasing the product **130c**. This can happen either directly through the manufacturer or reseller, or alternately through the **UPI 110c** via a suitable combination of tools in **ML 160c** (e.g., based on customer Profile information using **163c**) or via **190c**, which could be the manufacturer or reseller's sales channel.

When the end user purchases a product **130c**, all user and product attributes that are relevant to the transaction are transmitted via **180c**, and subsequently processed by **163c** in **160c**. Subsequently, the processed information is stored in **190c** (e.g., a database or other repository). This information may also be sent to **110c** for the end user's records, and to **180c** for the seller's records. At this time, **166c** is used to create a group, which comprises the end user, the device **130c**, the seller of the product, and all other 3rd parties that need to be associated with the transaction (e.g., suppliers of parts for the product, service center for servicing and repairing the product, etc.). Further, through **110c**, the end user is given a way to add or remove people from the group, to suit

their needs (e.g., choice of specific repair centers or parts suppliers based on the user's geographical location, etc.).

Telemetry tool **164c** collect telemetry information from product **130c** in one of two ways. First, if the product **130c** is capable of communicating over the data network, it communicates via **150c**, through **140c**, and then to **164c**. The information transmitted by the product **130c** or requested by **164c** is received in this fashion, and subsequently processed to extract relevant information. Secondly, if the product is not capable of communicating, information is then collected from the product **130c** in more passive ways, such as for example, requesting the end user to periodically enter product related information via **110c**, or by keeping track of periodic servicing date information for device **130c** (as suggested by the manufacturer). This ensures that any time sensitive information pertaining to the product **130c** is accurately tracked.

If any information handled by a component of **160c** causes results in a request for notification or request for a time sensitive task to be performed, the request is managed by **167c**. This component creates notification messages based on user and/or product profile (e.g., when and where a notification message is to be delivered, the format of the message etc.), and subsequently routes them through **168c**.

Communication tool **168c** manages all communication to and from the end user, and any seller, reseller or information source. For example, if **167c** creates a notification message for an end user, and the message must be delivered as an electronic mail message, **168c** manages the delivery of the message. If **168c** needs an end user address to complete delivery, such information is managed by Contact Tool **165c**.

TELECOM 2552660

Contact tool **165c** manages a repository of all address and contact information, such as phone numbers, email addresses, pager numbers, or in the case of products or other information sources, particulars relating to the specifics of the product or information source in question. Contact tools **165c** can be accessed by an end user via **110c**, or by a seller, reseller or system manager via **160c**, or by any other element of the system that has access to the **160c**.

If product **130c** has a problem, or needs repair or servicing, an event needs to be scheduled to service the product. Such events are scheduled by **162c**. For example, if **164c** gathers telemetry information that indicates a need for such an event, it communicates with **162c** to set up an event schedule. This might involve communication with the end user via **110c** as well communication with a repair agent represented accessible via **180c** or Information Source **190c**. Once all parties in the transaction agree on a date, **162c** manages the date and timing of the event, and tracks its completion. This includes sending out reminders, or creating notification requests if the event needs to be re-scheduled or is overdue, etc. Similarly, for more passive events, such as, when product **130c**'s warranty is set to expire, **162c** schedules notification requests, in order to indicate to the end user as well as other concerned parties of an upcoming warranty expiry event. This in turn may cause the end user to take action, such as applying for an extended warranty. Alternately, it might cause the seller of the product to contact the end user regarding new promotions, or new product models for sale, etc.

From time to time, an end user might want a report on some aspect of their product **130c** or a multiplicity of products they own and operate. This might involve, for example, a historical summary of their products, or a history of repairs for their device. Alternately, a seller of products **130c** might wish to collect some demographical information about end users **130c**, or they might wish to see a repair history for **130c** among all owners of the products (assuming the end

[illegible][illegible]